



Parallels Cloud Server 6.0

Installation Guide

July 03, 2014

Parallels IP Holdings GmbH

Vordergasse 59

8200 Schaffhausen

Switzerland

Tel: + 41 52 632 0411

Fax: + 41 52 672 2010

www.parallels.com

Copyright © 1999-2014 Parallels IP Holdings GmbH and its affiliates. All rights reserved.

This product is protected by United States and international copyright laws. The product's underlying technology, patents, and trademarks are listed at <http://www.parallels.com/trademarks>.

Microsoft, Windows, Windows Server, Windows NT, Windows Vista, and MS-DOS are registered trademarks of Microsoft Corporation.

Apple, Mac, the Mac logo, Mac OS, iPad, iPhone, iPod touch, FaceTime HD camera and iSight are trademarks of Apple Inc., registered in the US and other countries.

Linux is a registered trademark of Linus Torvalds.

All other marks and names mentioned herein may be trademarks of their respective owners.

Contents

Introduction	5
About Parallels Cloud Server 6.0	5
About This Guide	6
Organization of This Guide	6
Documentation Conventions	7
Getting Help.....	8
Feedback.....	8
Preparing for Installation.....	9
Hardware Compatibility	9
Requirements for Standalone Installations	9
Requirements for Servers in a Parallels Cloud Storage Cluster	10
System Limits.....	10
Software Compatibility.....	11
Network Requirements.....	11
Obtaining Parallels Cloud Server 6.0 Distribution Set.....	11
Preparing for Installation from USB Storage Drives	11
Installing Parallels Cloud Server 6.0	13
Starting Installation.....	13
Choosing Installation Type.....	14
Enabling Forced Detection of SSDs.....	15
Disabling RAID.....	16
Installing in Graphical Mode.....	17
Reading and Accepting the License Agreement	17
Selecting the Keyboard Type.....	17
Defining Network Settings	18
Choosing the Installation Device	19
Configuring for Use with Parallels Cloud Storage.....	21
Entering the License Key	27
Defining Time Zone Settings.....	28
Setting a Password	29
Partitioning the Hard Drive.....	30

Choosing the Device	34
Installing Parallels Virtual Automation	35
Finishing the Installation	37
Installing with Basic or Framebuffer Video Driver	37
Installing via VNC	38
Configuring Ports	38
Servers without Parallels Virtual Automation	39
Servers in Parallels Cloud Storage Clusters	39
Servers with Parallels Virtual Automation	40
PVA Management Node	40
Exploring Additional Installation Options	41
Creating Software RAIDs	41
Making Software RAID Partitions	42
Creating RAID Devices	45
Booting into Rescue Mode	47
Running Parallels Cloud Server in Virtual Machines	51
Starting to Work in Parallels Cloud Server 6.0	53
Using CLI	53
Using Parallels Virtual Automation	54
Setting Up Parallels Virtual Automation	55
Installing Parallels Virtual Automation Manually	56
Connecting to a Server	57
Glossary	58
Index	60

CHAPTER 1

Introduction

Parallels Cloud Server 6.0 is a virtualization solution that allows you to run multiple virtual machines and Containers on a single physical server.

This chapter provides general information about Parallels Cloud Server and this guide.

- [Parallels Cloud Server basics](#) (p. 5)
- [goals and target audience of the guide](#) (p. 6)
- [guide organization](#) (p. 6)
- [documentation conventions used in the guide](#) (p. 7)
- [resources to consult to get more information on Parallels Cloud Server](#) (p. 8)
- [ways to submit feedback to the Parallels documentation team](#) (p. 8)

In This Chapter

About Parallels Cloud Server 6.0.....	5
About This Guide	6
Getting Help.....	8
Feedback.....	8


About Parallels Cloud Server 6.0

Parallels Cloud Server 6.0 is a virtualization solution that allows you to simultaneously run multiple Parallels virtual machines and Containers on a single physical server. With Parallels Cloud Server, you can efficiently share your server's hardware resources among virtual machines and Containers.

Parallels Cloud Server is installed directly on the server hardware and does not need any operating system to function. Once it is installed, Parallels Cloud Server allows you to create virtual machines and Containers and manage them using the following tools:

- **Parallels command-line interface (CLI).** The command-line interface comprises a set of Parallels command-line utilities that you can use to manage virtual machines and Containers, both locally and remotely.
- **Parallels Virtual Automation (PVA).** Parallels Virtual Automation is a remote management tool that allows you to manage physical servers and their virtual machines and Containers with the help of a standard Web browser on any platform.

Graphically, a server with the Parallels Cloud Server software installed can be represented as follows:



About This Guide

The *Parallels Cloud Server 6.0 Installation Guide* provides detailed information on installing Parallels Cloud Server on a physical server.

This guide is intended for anyone interested in installing and putting Parallels Cloud Server in operation on their servers.

Organization of This Guide

This guide is organized in the following way:

Chapter 1, Introduction (p. 5), gives an overview of the Parallels Cloud Server product and this guide.

Chapter 2, Preparing for Installation (p. 9), describes the hardware and software requirements a physical server must meet to successfully install Parallels Cloud Server.

Chapter 3, Installing Parallels Cloud Server 6.0 (p. 13), provides detailed information on installing Parallels Cloud Server on a physical server.

Chapter 4, Exploring Additional Installation Options (p. 41), explains how to create software RAIDs, boot into rescue mode, and configure Parallels Cloud Server to run in virtual machines.

Chapter 5, Starting to Work in Parallels Cloud Server 6.0 (p. 53), instructs you how to set up Parallels Virtual Automation, a web-based tool for managing virtual machines and Containers.

Documentation Conventions

Before you start using this guide, it is important to understand the documentation conventions used in it.

The table below presents the existing formatting conventions.

Formatting convention	Type of Information	Example
Special Bold	Items you must select, such as menu options, command buttons, or items in a list.	Go to the Resources tab.
	Titles of chapters, sections, and subsections.	Read the Basic Administration chapter.
<i>Italics</i>	Used to emphasize the importance of a point, to introduce a term or to designate a command-line placeholder, which is to be replaced with a real name or value.	These are the so-called <i>OS templates</i> . To remove a Container, type <code>prlctl delete <i>ctid</i></code> .
Monospace	The names of commands, files, and directories.	Use <code>prlctl start</code> to start a Container.
Preformatted	On-screen computer output in your command-line sessions; source code in XML, C++, or other programming languages.	<code>Saved parameters for Container 101</code>
Monospace Bold	What you type, as contrasted with on-screen computer output.	<code>C:\vzlist -a</code>
Key+Key	Key combinations for which you must press and hold down one key and then press another.	Ctrl+P, Alt+F4

Besides the formatting conventions, you should also know about the document organization convention applied to Parallels documents: chapters in all guides are divided into sections, which, in their turn, are subdivided into subsections. For example, **About This Guide** is a section, and **Documentation Conventions** is a subsection.

Getting Help

In addition to this guide, you can use the following resources to learn how to work in Parallels Cloud Server.

- *Getting Started With Parallels Cloud Server 6.0*. This guide provides basic information on installing Parallels Cloud Server on a physical server, creating new Containers and virtual machines, and performing main operations on them. Unlike this guide, it does not contain detailed description of all the operations needed to install and set Parallels Cloud Server to work.
- *Installing via PXE*. This guide provides information on installing Parallels Cloud Server 6.0 over a network using a PXE (Preboot Execution Environment) server.
- *Parallels Cloud Server 6.0 User's Guide*. This guide provides comprehensive information on Parallels Cloud Server covering the necessary theoretical conceptions as well as all practical aspects of working with the product. The guide does not deal with the process of installing and configuring Parallels Cloud Server systems.
- *Parallels Cloud Storage Administrator's Guide*. This guide is intended for system administrators interested in deploying Parallels Cloud Storage in their networks.
- *Parallels Cloud Server 6.0 Templates Management Guide*. This guide is meant to provide complete information on Parallels templates, an exclusive Parallels technology allowing you to efficiently deploy standard Linux applications in Containers and greatly save the physical server resources (memory, disk space, and so on).
- *Parallels Cloud Server 6.0 Command Line Reference Guide*. This guide is a complete reference on all Parallels Cloud Server configuration files and command-line utilities.

Feedback

If you spot a typo in this guide, or if you have an opinion about how to make this guide more helpful, you can share your comments and suggestions with us by completing the Documentation Feedback form on our [website](http://www.parallels.com/en/support/usersdoc/) (<http://www.parallels.com/en/support/usersdoc/>).

CHAPTER 2

Preparing for Installation

This chapter provides the following information:

- [hardware requirements for installing Parallels Cloud Server](#) (p. 9)
- [software requirements for installing Parallels Cloud Server](#) (p. 11)
- [network requirements for Parallels Cloud Server](#) (p. 11)
- [ways to obtain Parallels Cloud Server](#) (p. 11)
- [the process of making a bootable USB drive with Parallels Cloud Server](#) (p. 11)

In This Chapter

Hardware Compatibility	9
Software Compatibility.....	11
Network Requirements.....	11
Obtaining Parallels Cloud Server 6.0 Distribution Set	11
Preparing for Installation from USB Storage Drives	11

Hardware Compatibility

The system requirements slightly change depending on whether you are deploying Parallels Cloud Server 6.0

- [as a stand-alone installation](#) (p. 9) or
- [as part of a Parallels Cloud Storage cluster](#) (p. 10)

Requirements for Standalone Installations

The hardware requirements for running Parallels Cloud Server 6.0 as a standalone installation are as follows:

- x86-64 platform with Intel VT-x or AMD-V hardware virtualization support,
- CPU: 1.5 GHz or faster (a 64-bit processor is required for running x64 versions of guest operating systems),
- RAM: 2 GB or more,
- HDD: 100 GB or more,

- Network: an Ethernet network adapter and a valid IP address.

The actual number of virtual machines and Containers you can run on a physical server and their performance depend on the resources they require. In general, the more resources your physical server has, the more virtual machines and Containers you can run and the higher their performance.

Requirements for Servers in a Parallels Cloud Storage Cluster

If you plan to deploy a Parallels Cloud Storage cluster, make sure your servers meet the requirements below.

Metadata Servers

- Software: Parallels Cloud Server 6.0
- RAM: 1 GB per each 100 TB of storage
- Disk space: 10 GB or more
- Network:
 - 1 or more Ethernet adapters (1 Gb or faster)
 - a static IP address for each Ethernet adapter

Chunk Servers

- Software: Parallels Cloud Server 6.0
- RAM: 1 GB or more
- Disk space: chunk servers can export any amount of available local disk space to a Parallels Cloud Storage cluster
- Network: 1 or more Ethernet adapters (1 Gb or faster)

Clients

- Software: Parallels Cloud Server 6.0
- Network: 1 or more Ethernet adapters (1 Gb or faster)

There are no special requirements to the amount of RAM and disk space that must be available on a client, except for the general recommendations for running the Parallels Cloud Storage software.

System Limits

The table below lists the current hardware limits for Parallels Cloud Server 6.0:

Hardware	Theoretical	Certified
RAM	64 TB	256 GB
CPU cores	128 hyperthreaded cores	32 hyperthreaded cores

	256 non-hyperthreaded cores	
HDD	16 TB	16 TB

Software Compatibility

Parallels Cloud Server is installed on a bare-metal server and does not need any operating system to function.

Network Requirements

To connect to a physical server with Parallels Cloud Server, you need to establish a wireless or wired network connection between this server and the remote computer. So, you must have a valid IP address for the physical server as well as know the default gateway, network mask, and DNS configuration.

Obtaining Parallels Cloud Server 6.0 Distribution Set

You can use one of the following ways to obtain the Parallels Cloud Server 6.0 distribution set:

- Download the ISO image of Parallels Cloud Server 6.0 from the Parallels web site to your computer. In this case, you need to burn the downloaded ISO image to a DVD or to create a bootable USB drive before starting the installation.
- Contact a Parallels sales representative and get a DVD with Parallels Cloud Server 6.0.

Preparing for Installation from USB Storage Drives

Parallels Cloud Server can be installed from USB storage drives on physical servers with both BIOS and (U)EFI, given that the server allows booting from USB drives. You will need to make a bootable USB drive using the previously downloaded Parallels Cloud Server distribution image. You will need:

- A 2 GB or more capacious USB drive formatted to the FAT32 file system.
- The Parallels Cloud Server 6.0 distribution ISO image.

To make a bootable USB storage drive, use the `mkinst_flash` script. The script is located in the root directory of the Parallels Cloud Server installation image (to get it, mount the image) and can be executed on any Linux server. The installation procedure slightly differs depending on whether the server where you plan to install Parallels Cloud Server has a traditional BIOS or (U)EFI.

- Traditional BIOS. To install Parallels Cloud Server on a server with a traditional BIOS, run this command:

```
# ./mkinst_flash <distribution_image> <destination_USB_drive>
```

- (U)EFI. To install Parallels Cloud Server on a server with (U)EFI, run this command:

```
# ./mkinst_flash <distribution_image> <destination_USB_drive> --efi
```

The following example demonstrates how to create a bootable USB drive mapped to `/dev/sdb` with the supplied `mkinst_flash` script:

```
# ./mkinst_flash parallels-server-6.0.0-786-x86_64.iso /dev/sdb --efi
```

The `--efi` option, if specified, tells the script to make a bootable drive for a (U)EFI system. During its execution, the `mkinst_flash` script repartitions the USB drive and transfers the distribution files to its second partition. So if during installation you are asked for the location of the installation image, specify the second partition of the USB drive. For example, if the USB drive is mapped to `/dev/sdb`, specify `/dev/sdb2`.

Note: To make a bootable USB drive for BIOS-based systems on Windows, you can use the `ISO2USB` application (<http://iso2usb.sourceforge.net>). Creating bootable USB drives for (U)EFI-based systems on Windows is not supported.

CHAPTER 3

Installing Parallels Cloud Server 6.0

This chapter provides detailed information on installing Parallels Cloud Server 6.0 in different ways:

- [in default graphical mode \(recommended\)](#) (p. 17)
- [in graphical mode with basic or framebuffer video driver](#) (p. 37)
- [via VNC \(Virtual Network Computing\)](#) (p. 38)

In This Chapter

Starting Installation	13
Installing in Graphical Mode	17
Installing with Basic or Framebuffer Video Driver	37
Installing via VNC	38
Configuring Ports	38

Starting Installation

Parallels Cloud Server can be installed from

- DVD discs
- USB drives (see **Preparing for Installation from USB Storage Drives** (p. 11) to prepare for installation from USB drives)
- PXE servers (see the *Installation via PXE Server* guide for information on installing Parallels Cloud Server over the network)

To start the installation, do the following:

- 1** Configure the server to boot from the chosen media (either a DVD disc or a USB drive).
- 2** Boot the server from the chosen media and wait for the **Welcome** screen:



Choosing Installation Type

You can install Parallels Cloud Server 6.0 in one of the following modes:

- *graphical* (default, recommended): install Parallels Cloud Server using the graphical installer.
- *graphical with basic video driver*: install Parallels Cloud Server using the graphical installer in a special mode. Choose this mode if the installer cannot load the correct driver for your video card.
- *graphical with framebuffer video driver* (available for EFI-based installations only): install Parallels Cloud Server using the graphical installer in a special mode. Choose this mode in case of issues with the basic video driver mode.

Your further installation steps will differ depending on the chosen mode.


Enabling Forced Detection of SSDs

Certain solid-state drives (SSDs) may not be autodetectable by the installer. This may result in issues when you create or join Parallels Cloud Storage clusters. To avoid this problem, you can force the installer to identify the required drives as SSDs by doing the following:

- 1 On the installer welcome screen, choose the desired installation option.
- 2 Press `Tab` to edit the chosen installation option.
- 3 In the console prompt that appears, add the following parameter at the end of the installation command:

```
ssd_hack=sd<N>[ , ... ]
```

where `<N>` is the letter of the required SSD (see an example below).




- 4 Press `Enter` to start installation.

The installer will identify the specified drives as SSDs.

Disabling RAID

To install Parallels Cloud Server on disks which were previously used in RAID setups, you may need to do the following:

- 1 Disable RAID in BIOS to be able to boot from a single HDD.
- 2 On the installer welcome screen, choose the desired installation option.
- 3 Press Tab to edit the chosen installation option.
- 4 In the console prompt that appears, add the `nodmraid` parameter at the end of the installation command:



- 5 Press Enter to start installation.

Warning: Any RAID configurations you have will be ignored during the installation. Make sure you will not lose any data because of this.

Installing in Graphical Mode


To install in the graphical mode, choose the **Install or upgrade an existing system** option in the **Welcome** window and press Enter. In this mode, you use the graphical installer and specify only basic parameters to install Parallels Cloud Server.

Reading and Accepting the License Agreement

Read and accept the Parallels end-user license agreement. To accept the license agreement, click **Next**, and in the displayed window, click **Agree**.

Selecting the Keyboard Type


Select the keyboard layout to use for the installation and as the system default once the installation is complete.



Note: For installations from a USB drive, the screen where you can select the desired keyboard layout is shown before the **License Agreement** screen.

Defining Network Settings

Choose a hostname for your server. You can specify a hostname as a fully qualified domain name (*hostname.domainname*) or as a short name (*hostname*).



On this screen, you may also need to configure your network settings for at least one network card. To do this:

- 1 Click the **Configure Network** button.
- 2 Select one of the network cards installed on the server.
- 3 Click **Edit**.

Connection name: System eth0

☒ Connect automatically

Wired 802.1x Security IPv4 Settings IPv6 Settings

Device MAC address: 00:1C:42:5C:CB:A7

Cloned MAC address:

MTU: automatic bytes

☒ Available to all users

Cancel Apply...

4 Do one of the following:

- Accept the network settings offered by the installer. View the default settings in the editing network card window, and if you are satisfied with them, click **Apply**; then click **Close**.
- Configure the network card settings. Click the necessary tabs in the editing network card window, and configure the settings to meet your demands. When you are done, click **Apply**; then click **Close**.

Click **Next** to continue with the installation.

Choosing the Installation Device

Select the storage device to install Parallels Cloud Server on.



You can choose between two options:

- **Basic Storage Devices:** Perform a standalone installation of Parallels Cloud Server 6.0 on a hard drive that is connected directly to your local system (local hard drive).
- **Parallels Cloud Storage:** Include the server in a Parallels Cloud Storage cluster. If you choose this option, you will need to specify a number of additional settings described in **Configuring for Use with Parallels Cloud Storage** (p. 21).


Notes:

1. Parallels Cloud Storage is a solution that transforms local hard drives into a highly protected enterprise-level storage (like SAN or NAS) with data replication, high-availability, and self-healing features. Using Parallels Cloud Storage, you can safely store and run Parallels virtual machines and Containers, migrate them with zero downtime, provide high availability for your Parallels Cloud Server installations, and much more. For more information on Parallels Cloud Storage, see the *Parallels Cloud Storage Administrator's Guide*.

2. In a Parallels Cloud Storage cluster, all servers must have unique hostnames. So if you did not set a hostname for the server, click **Back** and specify one on the screen of defining network settings.

Configuring for Use with Parallels Cloud Storage

If you choose to install on Parallels Cloud Storage, you see the following window:



In this window, you can choose one of these options:


- **Join an existing Parallels Cloud Storage.** Choose this option to join the server to an existing Parallels Cloud Storage cluster. You can use this option if you already have set up at least one cluster in your network and want to make the server part of this cluster.
- **Create a new Parallels Cloud Storage.** Choose this option to create a Parallels Cloud Storage cluster from scratch. You can use this option if you do not have any clusters in your network or want to set up a separate cluster for this installation.

Depending on which option you choose, your further steps will slightly differ.

Note: For detailed information on working with Parallels Cloud Storage clusters, consult the *Parallels Cloud Storage Administrator's Guide*.

Creating a New Parallels Cloud Storage Cluster

If you choose to create a new Parallels Cloud Storage cluster, you see this window:



The screenshot shows the 'Specify Parallels Cloud Storage Parameters' window. At the top is the Parallels logo and 'Parallels® Cloud Server 6'. The main section is titled 'Specify Parallels Cloud Storage Parameters'. It contains a 'Cluster name' text input field and a 'Security settings' button. Below this is a note: 'Enter a name for your Parallels Cloud Storage. This name will uniquely identify the Storage in your network.' The next section is 'Select functional roles for this server:'. It lists three roles, each with a checked checkbox: 'Metadata Server Role' (with an 'IP address' field set to '10.30.24.184' and a description: 'A Metadata Server stores metadata about Chunk Servers. The specified IP address will be used to access the Metadata Server and cannot be changed later.'), 'Chunk Server Role' (with a description: 'A Chunk Server stores the contents of virtual machines and Containers on its local drives.' and a 'Chunk Server settings' button), and 'Client Server Role' (with a description: 'A Client Server allows you to access the Parallels Cloud Storage from this server and run virtual machines and Containers hosted on the Storage.' and a 'Client settings' button). At the bottom are 'Back' and 'Next' buttons.

Specify the parameters for your new Parallels Cloud Storage cluster. All parameters are described below.

Main cluster parameters

First, you need to assign a name for the cluster and set a password to access it.

- **Cluster name.** Specify a name for the cluster that will uniquely identify it among other clusters in your network. A cluster name must consist of the characters a-z, A-Z, 0-9, minus (-), underscore (_), and must not exceed 63 characters.
- **Security settings.** Click this button and specify a password to use for password-based authentication in your cluster.



Parallels Cloud Storage Security Settings

Parallels Cloud Storage uses password-based authentication to authenticate servers in the cluster. Enter the password for server authentication:

Cluster Password:

Confirm:

☐ Show Password

Password-based authentication enhances security, requiring each server to be authenticated before it can be included in the cluster. The password you specify is encrypted and saved to the `/etc/pstorage/clusters/CLUSTER_NAME/auth_digest.key` file on the server.

Note: You need to authenticate a server only once. After that, you can configure it as an MDS server, chunk server, or a client. So if you later decide to configure the server where you are setting the first MDS server as a chunk server, no additional authentication will be required.

Cluster Roles

Each server in the cluster can play one or all of the following roles:

- **Metadata Server Role.** Specify whether the installer should configure your server to act as a metadata (MDS) server in the cluster. MDS servers are an essential part of any Parallels Cloud Storage cluster. They store metadata about chunk servers and control how files keeping the contents of virtual machines and Containers are split into chunks and where these chunks are located.

When you create a new Parallels Cloud Storage cluster, the **Metadata Server Role** option is selected by default. To set up an MDS server, you need to specify an IP address to use for connecting to this server. You can type it manually in the **IP address** field or click the arrow at the end of the field and choose one from the list of IP addresses that were detected by the installer (it shows all IP addresses it could find for the server).

Note: MDS servers must have static IP addresses assigned. If you are using DHCP, map an IP address to the MAC address of the MDS server.

- **Chunk Server Role.** Specify whether the installer should configure your server to act as a chunk server in the cluster. Chunk servers store the contents of virtual machines and Containers in the form of fixed-size chunks and provide access to these chunks. All data chunks are replicated and the replicas are kept on different chunk servers to achieve high availability. If one of the chunk servers goes down, the other chunk servers will continue providing the data chunks that were stored on the failed server.

Warning: Parallels Cloud Storage has redundancy built in, so you should avoid running Parallels Cloud Storage on redundant types of RAID like 1, 5, or 6 over local storage. In this case, a single write operation may affect a significant number of HDDs resulting in very poor performance. For example, for 3 Parallels Cloud Storage replicas and RAID5 on servers with 5 HDDs each, a single write operation may result in 15 I/O operations. For recommendations on optimal local storage configurations, consult the *Parallels Cloud Storage Administrator's Guide*.

By default, the installer does the following:

- If your server has several disk drives, the installer will automatically configure each disk drive to act as a separate chunk server.
- If one or more SSD drives are available on the server, they will be set up to store chunk server write journals (each chunk server will get its own journal). By using SSD drives for write journaling, you can boost the performance of write operations in the cluster by up to 2 and more times. For more information on using SSD drives, consult the *Parallels Cloud Storage Administrator's Guide*.

Note: If one or more SSDs are not detected automatically, find out their drive letters (e.g., invoke the console by pressing `Ctrl+Alt+F2` and analyze `dmesg` output), reboot to the installer Welcome screen, and see **Enabling Forced Detection of SSDs** (p. 15) for instructions.

To check the chunk server settings that will be applied to your disk drives, click the **Chunk Server settings** button.

- **Client Server Role:** Specify whether the installer should configure your server to act as a client in the cluster. Clients are computers with Parallels Cloud Server 6.0 from where you run virtual machines and Containers stored in your Parallels Cloud Storage cluster.

By default, the installer

- Enables High Availability support for the client and for all virtual machines and Containers you will create on it. With High Availability turned on, if the client fails, all virtual machines and Containers hosted on it will be automatically moved to a healthy server. For detailed information on High Availability, consult the *Parallels Cloud Server 6.0 User's Guide*.
- If one or more SSD drives are available on the server, configures them to store a local cache of frequently accessed data. By having a local cache on an SSD drive, you can increase the overall cluster performance by up to 10 and more times. For more information on using SSD drives, consult the *Parallels Cloud Storage Administrator's Guide*.

Note: If one or more SSDs are not detected automatically, find out their drive letters (e.g., invoke the console by pressing `Ctrl+Alt+F2` and analyze `dmesg` output), reboot to the installer Welcome screen, and see **Enabling Forced Detection of SSDs** (p. 15) for instructions.

Using the **Client settings** button, you can check whether the support for using SSD drives to store a local cache is enabled.

When you are done, click **Next**.

Joining an Existing Parallels Cloud Storage Cluster

If you select the **Join an existing Parallels Cloud Storage** option and click **Next**, you will see this window:

The screenshot shows the 'Parallels Cloud Server 6' installation window. At the top is the Parallels logo. Below it, the title 'Specify the Parallels Cloud Storage to Join' is displayed. There is a 'Cluster name' text box with a dropdown arrow to its right. To the right of the text box is a 'Security settings' button. Below the text box is a hint: 'Enter the name of the Parallels Cloud Storage to join this server to.' Underneath, the section 'Select functional roles for this server:' contains three checked options: 'Metadata Server Role' with an IP address field set to '10.30.18.135' and a description; 'Chunk Server Role' with a description; and 'Client Server Role' with a description. At the bottom are 'Back' and 'Next' buttons.

Specify the parameters to join your new server to the cluster:

- 1 **Cluster name:** Specify the name of the Parallels Cloud Storage you want to join your server to. In most cases, the installer automatically detects all Parallels Cloud Storage clusters in your network and displays their names as a list box to the right of the **Cluster name** field. If the installer cannot find any cluster, it shows a warning, and you need to manually type the cluster name in the provided field.
- 2 **Security settings.** Click the button and specify the password to authenticate your new server in the cluster. Type the password you specified when creating the cluster and press Enter.

- 3 Metadata Server Role.** Specify whether the installer should configure your server to act as a metadata (MDS) server in the cluster. MDS servers are an essential part of any Parallels Cloud Storage cluster. They store metadata about chunk servers and control how files keeping the contents of virtual machines and Containers are split into chunks and where these chunks are located.

When you create a new Parallels Cloud Storage cluster, the **Metadata Server Role** option is selected by default. To set up an MDS server, you need to specify an IP address to use for connecting to this server. You can type it manually in the **IP address** field or click the arrow at the end of the field and choose one from the list of IP addresses that were detected by the installer (it shows all IP addresses it could find for the server).

Note: MDS servers must have static IP addresses assigned. If you are using DHCP, map an IP address to the MAC address of the MDS server.

- 4 Chunk Server Role.** Specify whether the installer should configure your server to act as a chunk server in the cluster. Chunk servers store the contents of virtual machines and Containers in the form of fixed-size chunks and provide access to these chunks. All data chunks are replicated and the replicas are kept on different chunk servers to achieve high availability. If one of the chunk servers goes down, the other chunk servers will continue providing the data chunks that were stored on the failed server.

Warning: Parallels Cloud Storage has redundancy built in, so you should avoid running Parallels Cloud Storage on redundant types of RAID like 1, 5, or 6 over local storage. In this case, a single write operation may affect a significant number of HDDs resulting in very poor performance. For example, for 3 Parallels Cloud Storage replicas and RAID5 on servers with 5 HDDs each, a single write operation may result in 15 I/O operations. For recommendations on optimal local storage configurations, consult the *Parallels Cloud Storage Administrator's Guide*.

By default, the installer does the following:

- If your server has several disk drives, the installer will automatically configure each disk drive to act as a separate chunk server.
- If one or more SSD drives are available on the server, they will be set up to store chunk server write journals (each chunk server will get its own journal). By using SSD drives for write journaling, you can boost the performance of write operations in the cluster by up to 2 and more times. For more information on using SSD drives, consult the *Parallels Cloud Storage Administrator's Guide*.

Note: If one or more SSDs are not detected automatically, find out their drive letters (e.g., invoke the console by pressing `Ctrl+Alt+F2` and analyze `dmesg` output), reboot to the installer Welcome screen, and see **Enabling Forced Detection of SSDs** (p. 15) for instructions.

To check the chunk server settings that will be applied to your disk drives, click the **Chunk Server settings** button.

- 5 Client Server Role:** Specify whether the installer should configure your server to act as a client in the cluster. Clients are computers with Parallels Cloud Server 6.0 from where you run virtual machines and Containers stored in your Parallels Cloud Storage cluster.

By default, the installer

- Enables High Availability support for the client and for all virtual machines and Containers you will create on it. With High Availability turned on, if the client fails, all virtual machines and Containers hosted on it will be automatically moved to a healthy server. For detailed information on High Availability, consult the *Parallels Cloud Server 6.0 User's Guide*.
- If one or more SSD drives are available on the server, configures them to store a local cache of frequently accessed data. By having a local cache on an SSD drive, you can increase the overall cluster performance by up to 10 and more times. For more information on using SSD drives, consult the *Parallels Cloud Storage Administrator's Guide*.

Note: If one or more SSDs are not detected automatically, find out their drive letters (e.g., invoke the console by pressing `Ctrl+Alt+F2` and analyze `dmesg` output), reboot to the installer Welcome screen, and see **Enabling Forced Detection of SSDs** (p. 15) for instructions.

Using the **Client settings** button, you can check whether the support for using SSD drives to store a local cache is enabled.

When you are done, click **Next**.

Entering the License Key

Enter the Parallels Cloud Server and Parallels Cloud Storage license keys:

- *Parallels Cloud Server license key.* Every physical server must have its own license key installed. You need to install a license key to use Parallels Cloud Server on your server.
- *Parallels Cloud Storage license key.* You need to install a separate license key for Parallels Cloud Storage to use its functionality. If you are performing a standalone installation of Parallels Cloud Server, the field for entering a Parallels Cloud Storage key is not displayed.




The image shows the Parallels Cloud Server 6.0 installation window. At the top is the Parallels logo and the text "Parallels® Cloud Server 6". Below this, there are two text input fields. The first field is preceded by the label "Type your product key for Parallels Cloud Server:". The second field is preceded by the label "Type your product key for Parallels Cloud Storage:". Below these fields, there is a note: "You can skip this step and activate the products later." followed by a more detailed note: "Note: If you skip Parallels Cloud Server license step, you will not be able to automatically install Parallels Virtual Automation and its components after installing Parallels Cloud Server." At the bottom of the window, there are two buttons: "Back" and "Next".

Type the license keys in the fields provided, and click **Next**. You can skip this step and install the keys later. However, if you do not specify the key for Parallels Cloud Server, you will not be able to install Parallels Virtual Automation and its components along with Parallels Cloud Server. For more information about Parallels Virtual Automation, see **Installing Parallels Virtual Automation** (p. 35).

Defining Time Zone Settings


Specify your time zone settings.



To set your time zone, either select the city nearest to your physical location on the drop-down menu or click a spot on the interactive map to zoom in to it. You can also select the **System clock uses UTC** check box to set your system to UTC (Universal Time Coordinated), which makes it automatically switch between normal and daylight saving time.

Setting a Password

Specify a password for the root account.



The image shows the Parallels Cloud Server 6.0 installation window. At the top, the Parallels logo is displayed with the text "Parallels® Cloud Server 6" below it. In the center, there is a message: "The root account is used for administering the system. Enter a password for the root user." To the left of this message is a small icon of a shield with a red cross. Below the message, there are two input fields: "Root Password:" and "Confirm:". At the bottom of the window, there are two buttons: "Back" and "Next".

You will need to log in to the physical server as `root` to manage Parallels virtual machines and Containers.

Partitioning the Hard Drive

The **Partitioning** window allows you to choose the way of partitioning your server.



Do one of the following:

- Select the **Use All Space** radio button to create the default layout on the server. If you do not feel comfortable with partitioning servers, you are recommended to select this option and let the installer automatically partition your system. For details, see **Creating the Default Layout** (p. 31).
- Select the **Create Custom Layout** radio button to manually partition your disk drive. Detailed information on how you can do it is given in **Creating Custom Layout** (p. 32).

Creating the Default Layout

The default partitioning scheme differs depending on whether you use Parallels Cloud Server with a local storage or Parallels Cloud Storage.

Using with a Local Storage

If you are using Parallels Cloud Server with a local storage, the installer creates the following partitions on your system:

Partition	Description
/boot	Boot partition containing boot files for Parallels Cloud Server.
/	Root partition containing Parallels Cloud Server files.
/vz	Partition where all virtual machines and Containers will be located.
swap	Paging partition for Parallels Cloud Server.


Using with a Parallels Cloud Storage

If you are using Parallels Cloud Server with a Parallels Cloud Storage, the installer creates the following:

Partition	Description
/boot	Boot partition containing boot files for Parallels Cloud Server.
/	Root partition containing Parallels Cloud Server files.
/vz	Partition for storing OS and application template files.
swap	Paging partition for Parallels Cloud Server.
/pstorage	<p>The directory for Parallels Cloud Storage data. In it, the installer may create the following subdirectories, depending on the options you choose:</p> <ul style="list-style-type: none"> ▪ <code>CLUSTER_NAME-cs[N]</code>: Mount point(s) for the chunk server(s). Created if the Node will host chunk servers. ▪ <code>CLUSTER_NAME-mds</code>: Stores metadata about Parallels Cloud Storage data. Created if the Node will host an MDS server. ▪ <code>CLUSTER_NAME</code>: Mount point for the Parallels Cloud Storage cluster. Created if the Node will serve as a client.

Creating a Custom Layout

If you choose to create a custom layout (by selecting the **Create custom layout** radio button while specifying partition settings and clicking **Next**), the following window appears:



The process of partitioning your system is similar to that used to partition servers with the Disk Druid partitioning tool which comes with most Linux distributions. You can use the provided buttons (**Create**, **Edit**, and so on) to create and configure your partitions. The partitions you need to create differ depending on whether you use Parallels Cloud Server with a local storage or with a Parallels Cloud Storage.

Using with a Local Storage

If you are using Parallels Cloud Server with a local storage, create the following partitions on your system:

Partition	Description
/boot	Boot partition containing boot files for Parallels Cloud Server. Allocate 500 MB.
/	Root partition containing Parallels Cloud Server system files. Allocate at least 12 GB.
swap	Paging partition for Parallels Cloud Server. For details on how much disk space to allocate to swap, see Creating the Paging Partition below.
/vz	Partition where all Containers and virtual machines will be stored. Allocate all the remaining disk space to this partition (at least 88 GB).

Using with a Parallels Cloud Storage

If you are using Parallels Cloud Server with a Parallels Cloud Storage, create the following partitions:

Partition	Description
<code>/boot</code>	Boot partition for Parallels Cloud Server boot files. Allocate 500 MB.
<code>/</code>	Root partition for Parallels Cloud Server files. Allocate 20-30 GB.
<code>/vz</code>	Partition for OS and application template files. Allocate 30-40 GB.
<code>swap</code>	Paging partition for Parallels Cloud Server. For details on how much disk space to allocate to swap, see Creating the Paging Partition below.
<code>/pstorage/CLUSTER_NAME-cs[N]</code>	Chunk server partition. Allocate at least 100GB. Create only one CS partition per physical disk. When adding CS partitions, choose a mount point for each in the corresponding column.

Creating the Paging Partition

Use the following guidelines when deciding on how much disk space to allocate to swap:

RAM	swap
up to 4 GB	2 GB
4-16 GB	4 GB
16-64 GB	8 GB
64-256 GB	16 GB
256-512 GB	32 GB

Choosing the Device

Choose the storage device to install Parallels Cloud Server and the boot loader on. This screen is displayed only if your system contains more than one storage device.

Parallels® Cloud Server 6

Below are the storage devices you've selected to be a part of this installation. Please indicate using the arrows below which devices you'd like to use as data drives (these will not be formatted, only mounted) and which devices you'd like to use as system drives (these may be formatted). Please also indicate which system drive will have the bootloader installed.

Data Storage Devices (to be mounted only)

Model	Capacity	Vendor	Identifier
ATA PVC_6_115_CentOS	65536 MB		pci-0000:00:1f.2
ATA PVC_6_115_CentOS	65536 MB		pci-0000:00:1f.2

Install Target Devices

Boot Loader	Model	Capacity	Identifier
-------------	-------	----------	------------

Tip: Install target devices will be reformatted and wiped of any data. Make sure you have backups.

To choose a device, select it in the **Data Storage Devices** table, and then click the right arrow button to move the device to the **Install Target Devices** table. If you move more than one device to the **Install Target Devices** table, you will also need to choose the device to install the boot loader to. To do this, click the radio button next to the desired device.

Note that the devices you leave in the **Data Storage Devices** table will be attached to the file system as data storages but will not be partitioned or formatted.

Installing Parallels Virtual Automation

Choose the Parallels Virtual Automation components to install on your server. This screen is displayed only if you entered the license in one of the previous steps and your license provides support for Parallels Virtual Automation.



The image shows a screenshot of the Parallels Cloud Server 6 installation window. At the top, the Parallels logo is displayed with the text "Parallels® Cloud Server 6" below it. The main heading asks, "Do you want to install PVA after the restart?". Below this, a paragraph explains that PVA (Parallels Virtual Automation) is a web-based tool for managing containers and virtual machines. It provides instructions for new users (install both agent and management node) and existing users (install agent only). There are two checked checkboxes: "Install PVA Agent for Parallels Cloud Server" and "Install PVA Management Node". Below these are input fields for "IP Address:" and "Hostname:". A paragraph at the bottom explains how to access PVA via a web browser using the IP address or hostname. At the very bottom, there are "Back" and "Next" buttons.

Parallels® Cloud Server 6

Do you want to install PVA after the restart?

PVA (Parallels Virtual Automation) is a web-based tool that enables you to manage both containers and virtual machines.
If you are new to PVA, please install both the agent and the management node. If you already have a management node, you can install PVA Agent only.

☒ Install PVA Agent for Parallels Cloud Server
☒ Install PVA Management Node

IP Address:
Hostname:

To access PVA, type `http://` followed by the management node IP address or hostname in your web browser, and log in with the user name and password you created during the installation of Parallels Cloud Server.

[Back](#) [Next](#)

Do the following:

- Clear the **Install PVA Agent for Parallels Server** and **Install PVA Management Node** check boxes, and click **Next** if you do not want to use Parallels Virtual Automation for managing your server and virtual machines and Containers.
- Leave the **Install PVA Agent for Parallels Server** and **Install PVA Management Node** check boxes selected to set up the Parallels Virtual Automation application and its components on the server. Using Parallels Virtual Automation, you can connect to the Parallels server and manage virtual machines and Containers with your favorite browser.

If you leave the check boxes selected, you will need to specify a valid and unused IP address accessible from the Internet and a hostname (optional) for PVA Management Node. This Parallels Virtual Automation component will be downloaded to and installed in a Container, so make sure this Container with the IP you have chosen will have Internet access. Once the PVA Management Node installation is complete, you can log in to Parallels Virtual Automation by visiting the chosen IP address or hostname and using the username `root` and the password you specified in the previous step.

When the check boxes are selected, the installer performs the following operations after you restart the server:

1. Downloads the installation packages for Parallels Virtual Automation from the Parallels web site. Notice that the download process may take some time, depending on the speed of your Internet connection.
2. Sets up Parallels Virtual Automation and its components. The installation is automatically initiated once the installation packages are downloaded and runs without your interaction.

When you are done, click **Next** to start installing Parallels Cloud Server.

Notes:

1. Your server and the Container must be connected to the Internet to download the Parallels Virtual Automation installation packages from the Parallels remote repository.
2. You can use Parallels Virtual Automation to manage Parallels servers only if your license allows you to do so. If the license does not support using Parallels Virtual Automation, the PVA components screen is not displayed. In this case, you must first upgrade your license and then install the Parallels Virtual Automation application manually. For more information, see **Installing Parallels Virtual Automation Manually** (p. 56).
3. For more information on setting up and logging in to Parallels Virtual Automation, see **Using Parallels Virtual Automation** (p. 54).

Finishing the Installation

Once the installation is complete, the **Congratulations** window appears. Click **Reboot** to restart the server and boot into Parallels Cloud Server.

The **Eject the installation DVD** option, when selected, automatically removes the Parallels Cloud Server installation disc from your DVD-ROM drive before booting the system.

Note: If you are installing Parallels Cloud Server from a USB drive, remove the drive manually before restarting the server.

Installing with Basic or Framebuffer Video Driver

If the installer cannot load the correct driver for your video card, you can try to install Parallels Cloud Server in the *graphical mode with basic or framebuffer video driver*. The latter is available for EFI-based installations only. To install in one of these modes:

- Choose the **Install system with basic video driver** option on the **Welcome** screen, and press Enter.
- Choose the **Install system with framebuffer video driver** option on the **Welcome** screen, and press Enter.

Installing Parallels Cloud Server in these modes does not differ from installing it in the default graphical mode. Consult **Installing in Graphical Mode** (p. 17) for information on specific installation steps.

Installing via VNC

To install Parallels Cloud Server in the VNC (Virtual Network Computing) mode:

- 1 In the **Welcome** screen, press Esc.
- 2 At the boot prompt that appears, type `linux vnc`, and press Enter.
- 3 Wait until the installer launches the VNC server and displays the information on how to connect to the server via a VNC client.
- 4 On the computer you plan to use for installing Parallels Cloud Server, run your favorite VNC client.
- 5 Connect to the server using the information provided by the installer in Step 3.
- 6 Follow the on-screen instructions to install Parallels Cloud Server in the graphical mode. For details, see **Installing in Graphical Mode** (p. 17).

Note: You can also specify the standard `vnc` command in a kickstart file to view the graphical installation of Parallels Cloud Server remotely via VNC. For details on this command, see the description of kickstart options in the *Red Hat Linux Enterprise Installation Guide*.

Configuring Ports

This section lists the ports that need to be opened for your server to operate properly. The set of ports differs depending on your system configuration:

- If the server does not participate in a Parallels Cloud Storage cluster and does not use Parallels Virtual Automation, see **Servers Without Parallels Virtual Automation** (p. 39) for information on ports used by Parallels Cloud Server.
- If the server is part of a Parallels Cloud Storage cluster, see **Servers in Parallels Cloud Storage Clusters** (p. 39) for information on ports used by the cluster.
- If the Parallels Virtual Automation application is installed on the server, see **Servers With Parallels Virtual Automation** (p. 40) for information on ports used by this application.
- If you plan to set up a PVA Management Node, see **PVA Management Node** (p. 40) for information on ports required by this component.

Servers without Parallels Virtual Automation

The table below lists the ports for servers that do not participate in Parallels Cloud Storage clusters and do not use the Parallels Virtual Automation application. "I" in the **Description** column signals that the port should be opened for incoming traffic and "O" — for outgoing traffic.

Port	Description
22	(I/O) Used for secure logins via SSH.
80	(I/O) Used for HTTP connections, e.g., to download Parallels Cloud Server updates and EZ templates from remote repositories.
21	(O) Used to connect to the Debian repository to cache Debian EZ templates.
443	(O) Used to send problem reports to the Parallels support team.
5224	(O) Used to connect to the Parallels Key Administrator server to update Parallels Cloud Server lease licenses.
64000	(I/O) Used for remote connections to the Parallels dispatcher via Parallels Automation for Cloud Infrastructure.
1621, 1622	(O) Used to migrate Containers to virtual machines on servers that run Parallels hypervisor-based solutions (e.g., Parallels Workstation).
67	Used to support Host-Only adapters in virtual machines. Parallels Cloud Server does not use port 67 for any external connections.
<i>rpc ports</i>	Used by various RPC services (e.g., to support NFS shares). Port numbers may differ from system to system. To learn what RPC services are registered on your server and what ports they are using, run this command: # rpcinfo -p localhost
647, 847	Reserved by the Linux <code>portreserve</code> program for the DHCP server, if you use one.

You may also need to additionally open ports used to connect to remote `yum` repositories. Though most of the repositories can be accessed via HTTP, some may require access via HTTPS or FTP. To check what repositories are currently configured for your system and what protocols are used to connect to them, run the following commands and examine their output:

```
# yum repolist -v | egrep -e 'baseurl|mirrors'
# curl http://repo.cloudlinux.com/psbm/mirrorlists/psbm6-os.mirrorlist
```

Servers in Parallels Cloud Storage Clusters

A Parallels Cloud Storage cluster requires the following ports to be open, in addition to the ports listed in **Servers Without Parallels Virtual Automation** (p. 39):

Port	Description
MDS Servers	
2510	(I/O) Used for communication between MDS servers.
2511	(I/O) Used for communication with chunks servers and clients.

Chunk Servers	
2511	(O) Used for communication with MDS servers.
<i>random_port</i>	(I) Used for communication with clients. The chunk server management service automatically binds to any available port. You can also manually assign the service to a specific port.
Clients	
2511	(O) Used for communication with MDS servers.
<i>random_port</i>	(O) Used for communication with chunk servers. The client management service automatically binds to any available port. You can also manually assign the service to a specific port.

Servers with Parallels Virtual Automation

Servers running Parallels Virtual Automation must have the following ports open, in addition to the ports listed in **Servers Without Parallels Virtual Automation** (p. 39):

Port	Description
4643, 8443	(I) Used to connect to virtual machines and Containers via the Parallels Power Panel and Parallels Plesk Panel applications, respectively.
22, 64000	(IO) Used by Parallels Virtual Automation for backing up and migrating virtual machines and Containers.
25	(I) Used to send email notifications to users via the SMTP protocol.
4646	(I) Used for communication with the server via the Parallels Agent SOAP interface.
8443, 8880	(I) Used for integration between Parallels Plesk Control Panel and Parallels Power Panel.
4433, 4435	(I) Used for non-encrypted connections to the Parallels Agent.
4434	(I) Used for encrypted SSL connections to the Parallels Agent.
4534	(I) Used for encrypted SSL XML connections to the Parallels Agent.
4649	(I) Used for managing virtual machines and Containers with the offline management feature enabled via the VNC protocol.

PVA Management Node

If you plan to deploy a PVA Management Node, make sure the following ports are opened on this node:

Port	Description
22	(IO) Used for secure logins via SSH.
4533	(I) Used for non-encrypted TCP connections to the PVA Management Node.
4534	(I) Used for encrypted SSL connections to the PVA Management Node.
4648	(I) Used to connect to the PVA Control Panel.
80, 443	(I) Used for redirects to the PVA Control Panel.

CHAPTER 4

Exploring Additional Installation Options

This chapter describes how to

- [create software RAIDs for systems with Parallels Cloud Server](#) (p. 41)
- [boot into rescue mode](#) (p. 47)
- [run Parallels Cloud Server in virtual machines](#) (p. 51)


In This Chapter

Creating Software RAIDs	41
Booting into Rescue Mode	47
Running Parallels Cloud Server in Virtual Machines.....	51

Creating Software RAIDs

A software RAID consists of two or more physical hard disks combined to act as a single logical unit. Software RAIDs are created using special software and are meant for improving the disk performance and providing fault tolerance against disk errors.

You can create software RAIDs when installing Parallels Cloud Server on your server. To do this, select the **Create custom layout** radio button in the **Partitioning** window, and click **Next**. The main partitioning window appears:



The process is similar to creating software RAIDs in most modern Linux distributions (e.g., Red Hat Enterprise Linux or CentOS) and includes the following stages:

- 1 [Making software RAID partitions](#) (p. 42).
- 2 [Creating RAID arrays \(or devices\) from the newly made software RAID partitions](#) (p. 45).


This section describes how to create a software RAID for the `/vz` partition when running the Parallels Cloud Server installer in the graphical mode. However, you can easily adapt the procedures shown here to create software RAIDs for other partitions (e.g., `root`) in both the graphical and text modes.

Making Software RAID Partitions

In the first step, you need to create two or more identical software RAID partitions for the `/vz` partition. These partitions will then be used as the basis for a RAID array.

To create a software RAID partition:

- 1 Click the **Create** button on the **Please Select a Device** screen. The **Create Partition** dialog box appears.



- 2 Select the **RAID Partition** radio button, and click **Create**.
- 3 Set the following options:
 - a In the **Allowable Drives** section, select the check box of the drive you want to use for the RAID. Make sure the check boxes of all the other drives are cleared. This is necessary because a software RAID partition can be situated on one disk drive only.
 - b In the **Size** field, specify the size for the /vz partition. The /vz partition is intended to store all virtual machines and Containers data and should occupy as much disk space as possible.
 - c Select **Force to be a primary partition** if you want to make the /vz partition a primary partition.

Mount Point: <Not Applicable>

File System Type: software RAID

Allowable Drives:

	Drive	Size	Model
<input checked="" type="checkbox"/>	sda	65536 MB	ATA PVC_6_115_CentOS
<input checked="" type="checkbox"/>	sdb	65536 MB	ATA PVC_6_115_CentOS

Size (MB): 200

Additional Size Options

☒ Fixed size

☐ Fill all space up to (MB): 1

☐ Fill to maximum allowable size


☐ Force to be a primary partition

☐ Encrypt

Cancel OK

- 4 Click **OK**. After a while, the newly created software RAID partition should appear in the main partitioning window.

Repeat the steps above to create other software RAID partitions for the `/vz` partition. Their number can differ depending on the RAID configuration you want to implement. For example, if you are going to deploy the RAID 1 configuration with two mirrored hard drives, you need to create one more software RAID partition. Once you create it, your window should look like the following:



Creating RAID Devices

Now that you have created the necessary RAID partitions for the /vz partition, you can make a RAID array on their basis. To do this:

- 1 On the **Please Select a Device** screen, click the **Create** button.
- 2 On the **Create Storage** screen, select the **RAID Device** radio button, and click **Next**.

Mount Point:

File System Type:

RAID Device:

RAID Level:

RAID Members:


<input type="checkbox"/>	sda1	20000 MB
<input type="checkbox"/>	sdb1	20000 MB

Number of spares:

☐ **Encrypt**

- 3** In the **Make RAID Device** dialog, set the following parameters for the RAID device:
- a** Specify a mount point in the **Mount Point** field. In our case, the mount point should be `/vz`.
 - b** Set the RAID file system type in the **File System Type** field to `ext4`.
 - c** Select a name for the RAID array in the **RAID Device** field.
 - d** Choose the RAID level in the **RAID Level** field. You can choose any of the RAID levels available on the drop-down menu.
 - e** The **RAID Members** section lists all your software RAID partitions. Select the check boxes next to the RAID partitions you created for the `/vz` partition.
 - f** Specify the number of spare partitions in the **Number of spares** field. Spare partitions can be configured in RAID 1 and RAID 5 implementations only.

When you are done, click **OK**. The created RAID array appears in the **Devices** column under **RAID Devices**.




For more information on RAIDs, see https://raid.wiki.kernel.org/index.php/Linux_Raid.

Booting into Rescue Mode


If you experience a problem with your system, you can boot into the rescue mode to troubleshoot your problem. Once you are in the rescue mode, your Parallels Cloud Server installation is mounted under `/mnt/sysimage`. You can go to this directory and make the necessary changes to your system.

To enter the rescue mode, do the following:


- 1 Boot your system from a Parallels Cloud Server DVD or USB drive.
- 2 In the **Welcome** screen, choose the **Rescue installed system** option, and press Enter.
- 3 Choose the language to use in the rescue mode.




- 4 Choose the keyboard type.
- 5 Choose the Parallels Cloud Server distribution media.
- 6 In the **Setup Networking** window, decide whether or not to start the network devices installed on the server.



- 7 If you choose to start your network devices, you are prompted to configure their settings:
 - a Choose the network card to configure.
 - b Configure the network settings.



- 8 The **Rescue** window informs you of what will be done in the rescue mode. Read the information carefully before proceeding. You can choose one of the following options:
- **Continue.** Choose this option to mount your file system in read and write mode under `/mnt/sysimage`.
 - **Read-Only.** Choose this option to mount your file system in read-only mode under `/mnt/sysimage`.
 - **Skip.** Choose this option if your file system cannot be mounted; for example, when it is corrupted.
 - **Advanced.** Choose this option to activate SAN devices.



- 9 Once your file system is in the rescue mode, you are presented with the **Rescue** window informing you of this fact and providing further instructions on working in this mode. Read the instructions carefully, and press Enter.

- 10 In a prompt that appears, run this command to change to the root partition of your file system:

```
# chroot /mnt/sysimage
```

Now you can run commands and try to fix the problem you are experiencing.

Note: If you choose the **Skip** option, you can try to manually mount your file system using the mount utility.

- 11 After you fix the problem, run the `exit` command to exit the `chroot` environment, and restart the system.

Running Parallels Cloud Server in Virtual Machines

Starting with version 5, you can install Parallels Cloud Server in virtual machines. Running Parallels Cloud Server 6.0 in a virtual machine may prove useful if you want to evaluate the product but do not have a spare physical server.

To run virtual machines with Parallels Cloud Server 6.0, a physical server must meet the following requirements:

Have the following architecture:

- Intel with VT-x and EPT (Nehalem, Westmere, SandyBridge)
- AMD SVM and RVI (Barcelona, MagnyCore, Bulldozer)

Run one of the following products:

- Parallels Desktop for Mac 7
- Parallels Workstation for Windows 6
- Parallels Workstation for Linux 6
- VMware Fusion 3

Recommended Virtual Machine Configuration

A virtual machine is best optimized for use with Parallels Cloud Server 6.0 if it has the following configuration:

- CPU: 2 or more virtual CPUs
- RAM: 2 GB or more
- HDD: 40 GB or more on a plain hard disk

Installing Parallels Cloud Server in a virtual machine does not differ from installing it on a standalone server.

Restrictions and Peculiarities

When using Parallels Cloud Server in a virtualized environment, keep in mind the following restrictions and specifics:

- Running Parallels Cloud Server in a virtual machine is intended for evaluation purposes only. You are not recommended to use such installations in production.
- If you change the configuration of a virtual machine where Parallels Cloud Server is installed, you may need to reactivate the product.
- When you start a virtual machine with Parallels Cloud Server, VMware Fusion may warn you that it requires full access to the network traffic. Ignore this message, and proceed with booting the virtual machine.
- To run in a virtualized Parallels Cloud Server environment, a virtual machine must have Parallels Tools installed.
- Virtual machines may run only 32-bit operating systems and have only one CPU.

CHAPTER 5

Starting to Work in Parallels Cloud Server 6.0

After you restart the Parallels server, you will see a screen providing instructions on how to start working in Parallels Cloud Server 6.0.

You can manage Parallels Cloud Server using these tools:

- [Parallels command-line utilities](#) (p. 53)
- [Parallels Virtual Automation](#) (p. 54)

Detailed information on both tools is given in the following sections.

In This Chapter

Using CLI	53
Using Parallels Virtual Automation	54

Using CLI

Parallels Cloud Server provides a set of utilities that allow you to manage Parallels virtual machines and Containers both locally and remotely.

Connecting to Parallels Cloud Server Locally

To manage your virtual machines and Containers locally, i.e. from the same server where Parallels Cloud Server is installed, log in to the server by typing the `root` username and the password you provided when installing Parallels Cloud Server at the bottom of the welcome screen.

After you have successfully logged in to the server, you will see a command prompt and can start creating and managing your Parallels virtual machines and Containers using Parallels command line utilities.

Connecting to Parallels Cloud Server Remotely

To connect to Parallels Cloud Server remotely, use the IP address or hostname indicated on the server's screen. For example, you can use a Secure Shell client to connect to your Parallels server. When logging in to the server, use the `root` user name and the password you provided when installing Parallels Cloud Server.


Using Parallels Virtual Automation

Parallels Virtual Automation is a flexible and easy-to-use administration tool for managing servers with Parallels Cloud Server and virtual machines and Containers residing on these servers. Once you set up Parallels Virtual Automation, you can use it to connect to your Parallel servers with a standard web browser on any platform.

Parallels Virtual Automation includes the following components:

- *PVA Management Server (or Master Server or Management Node)*. A server (either physical or virtual) that ensures the communication between the server with Parallels Cloud Server (known as *Slave Server*) and the Parallels Virtual Automation application. The Master Server keeps a database with the information about all registered Slave Servers.
- *Control Center*. A front-end to the Parallels Virtual Automation application. You see Control Center in the browser window when you log it to the PVA Management Server using Parallels Virtual Automation.
- *PVA Agent*. A special agent installed on a Slave Server and ensuring the interaction between the Slave Server and the Master Server. Without this component, you cannot register a Slave Server the PVA Management Server.
- *Slave Server*. A server running the Parallels Cloud Server software and hosting a number of virtual machines and Containers. You use Control Center to connect to the Slave Server to manage your virtual machines and Containers.
- *Parallels Power Panel*. A tool installed on the Slave Server and used for managing particular virtual machines and Containers by their end users.

Graphically, a typical system with Parallels Virtual Automation can be represented as follows.



Setting Up Parallels Virtual Automation

Parallels Virtual Automation is automatically set up on your server during the Parallels Cloud Server installation if you select the **Install PVA Agent for Parallels Server** and **Install PVA Management Node** options in the Parallels Cloud Server installer. During the setup procedure, the installer performs the following operations:

- 1 Installs the PVA Agent component, including Parallels Power Panel, on the server. After that, the server starts acting as the Slave Server.
- 2 Creates a special Container on the server and installs the PVA Management Server and Control Center components inside the Container. Once the Container is created and the components are installed, the Container starts acting as the Master Server.

The PVA Management Server and Control Center components cannot be installed directly on a server with Parallels Cloud Server. Instead, a special Container is automatically created during the Parallels Cloud Server installation where these components are installed. Once the setup is

complete, you can access the Container by the IP address you entered in the step of specifying PVA parameters in the installer.

Installing Parallels Virtual Automation Manually

During the Parallels Cloud Server installation, the Parallels Virtual Automation application is not installed on the server in the following cases:

- You did not enter a product key.
- Your product key does not allow you to use Parallels Virtual Automation.
- You had no Internet connection when installing Parallels Cloud Server.

Later on, if you make up your mind to use Parallels Virtual Automation for managing Parallels servers and their virtual machines and Containers, you can install this application manually by doing the following:

- 1 Obtain the appropriate product key from Parallels. This step is required only if your current key does not support using Parallels Virtual Automation.
- 2 Install the product key on the server using the `vzlicload` utility. For information on installing product keys using this tool, see the *Parallels Cloud Server 6.0 User's Guide*.
- 3 Once the license is installed, create the `pva_opt.cfg` file, open it for editing, and specify the following options:
 - `PVA_AGENT=1` if you want to install the PVA Agent components or `PVA_AGENT=0` if you do not want to.
 - `PVA_MN=1` if you want to install the PVA Management Server and Control Center components or `PVA_MN=0` if you do not want to.
 - `PASSWD="XXXXXX"` where `XXXXXX` is the root password on the Parallels server (set during the Parallels Cloud Server installation). This option is mandatory if you choose to install PVA Management Server and Control Center components.
 - `PVA_IP="X.X.X.X"` where `X.X.X.X` is the IP address to be assigned to the Management Node. You will then use this IP address to log in to the Management Node. This option is mandatory if you choose to install PVA Management Server and Control Center components.

Note: The Management Node must have an active Internet connection to download the installation files from the Parallels remote repository.

- `PVA_HOSTNAME="hostname"` where `hostname` is the hostname to be assigned to the Management Node. This option is mandatory if you choose to install PVA Management Server and Control Center components
- 4 Make sure the Parallels server is connected to the Internet.
 - 5 In a terminal, change to the directory where the `pva_opt.cfg` file is located, and run this command:

```
# /usr/libexec/pva-setup.sh --install pva_opt.cfg
```


Connecting to a Server

To connect to a server using Parallels Virtual Automation, do the following:

- 1** On any computer, open your favorite web browser.
- 2** Make sure that the computer can access the PVA Management Node over the network.
- 3** Type the IP address or hostname of the Container acting as the Master Server in the browser window.
- 4** Log in to the Container with root credentials (that is, the root user name and the password you entered during the Parallels Cloud Server installation).

Note: For more information on using Parallels Virtual Automation for managing servers with Parallels Cloud Server, consult the *Parallels Virtual Automation Administrator's Guide* available on the Parallels web site.

CHAPTER 6

Glossary

This glossary defines terms and spells out abbreviations used in Parallels Cloud Server documentation. References to terms defined elsewhere in the glossary appear in *italics*.

Application template. A template used to install a set of applications in *Containers*. See also *Template*.

Container (or regular Container). A virtual private server, which is functionally identical to an isolated standalone server, with its own IP addresses, processes, files, users database, configuration files, applications, system libraries, and so on. Containers share one *Parallels server* and one OS kernel. However, they are isolated from each other. A Container is a kind of ‘sandbox’ for processes and users.

Guest operating system (Guest OS). An operating system installed inside a virtual machine and Container. It can be any of the supported Windows or Linux operating systems.

Hardware virtualization. A technology allowing you to virtualize physical servers at the hardware level. Hardware virtualization provides the necessary environment for creating and managing Parallels virtual machines.

Operating system virtualization (OS virtualization). A technology allowing you to virtualize physical servers at the operating system (kernel) level. OS virtualization provides the necessary environment for creating and managing Parallels Containers.

OS template (Operating System template). A template used to create new *Containers* with a pre-installed operating system. See also *Template*.

Package set. See *Template*.

Parallels server (physical server or server). A server where the Parallels Cloud Server software is installed for hosting Parallels virtual machines and Containers. Sometimes, it is marked as Container 0.

Parallels Cloud Server license key. A license key that you should install on the physical server to use Parallels Cloud Server. Every physical server must have its own key installed.

Parallels Cloud Storage license key. A license key for Parallels Cloud Storage to use its functionality.

Memory and IOPS deduplication. A feature introduced in Parallels Cloud Server 6.0. By caching identical files in multiple Containers it helps eliminate memory and I/O bottlenecks and reduce the starting times of multiple similar Containers.

Parallels Virtuozzo Containers for Linux. An operating system virtualization solution allowing you to create multiple isolated Containers on a single physical server to share hardware, licenses, and management effort with maximum efficiency.

Private area. A part of the file system storing *Container* files that are not shared with other *Containers*.

Template (package set). A set of original application files (packages) repackaged for mounting. There are two types of templates. OS Templates are used to create new *Containers* with a pre-installed operating system. Application templates are used to install an application or a set of applications in *Containers*.

UBC. An abbreviation of *User Beancounter*.

User Beancounter. The subsystem of the Parallels Cloud Server software for managing *Container* memory and some system-related resources.

Virtual Environment (VE). An obsolete designation of a *Container*.

Virtuozzo File System (VZFS). A virtual file system for legacy Containers.

Virtual machine (VM). A computer emulated by Parallels Cloud Server. Like a Container, a virtual machine is functionally identical to an isolated standalone computer, with its own IP addresses, processes, files, users database, configuration files, applications, system libraries, and so on. However, unlike Containers, virtual machines run their own operating systems rather than sharing one operating system kernel.

Index

A

About Parallels Cloud Server 6.0 - 5
About This Guide - 6

B

Booting into Rescue Mode - 47

C

Choosing Installation Type - 14
Choosing the Device - 34
Choosing the Installation Device - 19
Configuring for Use with Parallels Cloud
Storage - 21
Configuring Ports - 38
Connecting to a Server - 57
Creating a Custom Layout - 32
Creating a New Parallels Cloud Storage
Cluster - 22
Creating RAID Devices - 45
Creating Software RAIDs - 41
Creating the Default Layout - 31

D

Defining Network Settings - 18
Defining Time Zone Settings - 28
Disabling RAID - 16
Documentation Conventions - 7

E

Enabling Forced Detection of SSDs - 15
Entering the License Key - 27
Exploring Additional Installation Options - 41

F

Feedback - 8
Finishing the Installation - 37

G

Getting Help - 8
Glossary - 58

H

Hardware Compatibility - 9

I

Installing in Graphical Mode - 17
Installing Parallels Cloud Server 6.0 - 13
Installing Parallels Virtual Automation - 35
Installing Parallels Virtual Automation Manually
- 56
Installing via VNC - 38
Installing with Basic or Framebuffer Video
Driver - 37
Introduction - 5

J

Joining an Existing Parallels Cloud Storage
Cluster - 25

M

Making Software RAID Partitions - 42

N

Network Requirements - 11

O

Obtaining Parallels Cloud Server 6.0
Distribution Set - 11
Organization of This Guide - 6

P

Partitioning the Hard Drive - 30
Preparing for Installation - 9
Preparing for Installation from USB Storage
Drives - 11
PVA Management Node - 40

R

Reading and Accepting the License
Agreement - 17

Requirements for Servers in a Parallels Cloud
Storage Cluster - 10
Requirements for Standalone Installations - 9
Running Parallels Cloud Server in Virtual
Machines - 51

S

Selecting the Keyboard Type - 17
Servers in Parallels Cloud Storage Clusters -
39
Servers with Parallels Virtual Automation - 40
Servers without Parallels Virtual Automation -
39
Setting a Password - 29
Setting Up Parallels Virtual Automation - 55
Software Compatibility - 11
Starting Installation - 13
Starting to Work in Parallels Cloud Server 6.0
- 53
System Limits - 10

U

Using CLI - 53
Using Parallels Virtual Automation - 54